




Premium 140mm Fan
Wing Boost 3



Aerodynamically
optimized fins



100% RAM
Compatibility

3ROCKKEN**3**

MULTI-SOCKET CPU COOLER

Wing Boost 3!

The also included 140 mm PWM fan of the new wing boost 3 series takes care of the required airflow. Because of the rigidly integrated guide wheel for axial flow direction we have achieved not only an improved noise of the fan but also a minimized twist of the airflow at the heatsink. This results in the enormous performance of the cooler where the maximum speed has been reduced significantly compared to alternative layouts.



WING
BOOST 3

High-End Heatpipes

Thanks to the gapless H.D.C – technology the five high performance heatpipes have direct contact to the cpu. This allows rapid and safe heat dissipation to the heatsink.



5x6 mm
Heatpipes

Compatibility

Socket LGA
2011/v3

Socket LGA
2011

Socket LGA
*115X

Socket LGA
*1200

Socket LGA
*1366

Socket LGA
*2066

Socket LGA
*775

Socket LGA
*AM4

Socket LGA
*AM3(+)

Socket LGA
*AM3

Socket LGA
*AM2(+)

Socket LGA
*AM2

Socket LGA
*FM1



*100% RAM
compatible



Heatsink Specifications

Product name:	Brocken 3
Dimensions:	146 x 125 x 165 mm
Thermal power:	220W TDP
Fins:	Aluminum
Baseplate:	Gapless HDC
Heatpipes:	5 x 6 mm Heatpipes
Weight:	ca. 850 g (incl. fan)

Fan Specifications

Dimensions:	140 x 140 x 25 mm
Speed:	400 - 1050 rpm
Bearing:	Fluid Dynamic Bearing
Rated Voltage:	12 VDC
Airflow:	103 m ³ /h
Noise level:	22 dB(A)
Connector:	4-Pin



Full-featured accessories

